# **Excision of a Ganglion**

OS19 Lite - Expires end of January 2022

This fact sheet is for general information about this procedure only. It is not intended to be used as medical advice or to replace advice that your relevant healthcare professional would give you. If you have a particular medical problem, please consult a healthcare professional.

© EIDO Systems International Limited. The operation and treatment information in this document is published under license from EIDO Systems International and is protected by copyright laws. Other than for your personal, non-commercial use, you may not copy, print out, download or otherwise reproduce any of the information.

eidohealthcare.com





### What is a ganglion?

A ganglion is a lump under your skin that contains fluid.

Ganglions usually form near joints. 3 in 4 ganglions form near the wrist. They are also found on your ankle and foot.



A ganglion on a wrist

The fluid in the ganglion comes from a joint or tendon through a narrow channel.

## What are the benefits of surgery?

The lump and any discomfort from it should settle. Surgery gives the best chance of preventing the ganglion from coming back.

### Are there any alternatives to surgery?

A ganglion will often disappear or become less painful after a year or two. If your ganglion is not causing much trouble it is best to leave it alone.

The fluid can be taken out of the ganglion using a needle.

Your doctor may also inject the ganglion with a steroid (cortisone).

### What does the operation involve?

Various anaesthetic techniques are possible. The operation usually takes 15 to 30 minutes.

Your surgeon will separate the ganglion from the nearby tendons, nerves and blood vessels. They will remove the ganglion from where it comes out.

### What complications can happen?

#### General complications of any operation

- Pain
- Bleeding
- Unsightly scarring of your skin
- Infection of the surgical site (wound)
- Allergic reaction to the equipment, materials or medication

#### Specific complications of this operation

- Damage to an artery
- Damage to small nerves near the ganglion
- Continued aching where the ganglion was
- Severe pain, stiffness and loss of use of your arm or leg

#### How soon will I recover?

You should be able to go home the same day.

Regular exercise should help you to return to normal activities as soon as possible. Before you start exercising, ask the healthcare team or your GP for advice.

The joint where the ganglion was can continue to ache.

Some ganglions come back after a few months or years.

### **Summary**

A ganglion is not serious. If it is causing problems, your surgeon can remove it.

Keep this information document. Use it to help you if you need to talk to the healthcare team.

Some information, such as risk and complication statistics, is taken from global studies and/or databases. Please ask your surgeon or doctor for more information about the risks that are specific to you.

This document is intended for information purposes only and should not replace advice that your relevant healthcare team would give you.

Acknowledgements Reviewer: Stephen Milner (DM, FRCS (Tr & Orth)) Illustrator: Medical Illustration Copyright © Medical-Artist.com