

Ulnar Nerve Release

OS21 Lite - Expires end of January 2022



This fact sheet is for general information about this procedure only. It is not intended to be used as medical advice or to replace advice that your relevant healthcare professional would give you. If you have a particular medical problem, please consult a healthcare professional.


© EIDO Systems International Limited. The operation and treatment information in this document is published under license from EIDO Systems International and is protected by copyright laws. Other than for your personal, non-commercial use, you may not copy, print out, download or otherwise reproduce any of the information.

eidohealthcare.com



What is ulnar nerve compression?

The ulnar nerve goes round the back of the inner side of your elbow (sometimes called your 'funny bone'). It then goes through a tight tunnel between the forearm muscles. If the tunnel becomes too tight it can cause pressure on the nerve, usually resulting in numbness in your ring and little fingers.



Ulnar nerve compression

What are the benefits of surgery?

The aim is to prevent further damage to the nerve. If you have the operation early enough, the numbness in your hand may get better.

Are there any alternatives to surgery?

If your symptoms are mild and happen mostly at night, a splint to hold your elbow straight while you are in bed often helps.

What does the operation involve?

Various anaesthetic techniques are possible. The operation usually takes 30 to 45 minutes.

Your surgeon will make a cut over the back of the inner side of your elbow. They will cut any tight tissue that is compressing the nerve.

Your surgeon may need to remove a piece of bone, or move the nerve so that it lies in front of your elbow.

What complications can happen?

General complications of any operation

- Pain

- Bleeding
- Unsightly scarring of your skin
- Infection of the surgical site (wound)
- Allergic reaction to the equipment, materials or medication

Specific complications of this operation

- Continued numbness in your ring and little fingers
- Return of numbness caused by scar tissue that forms
- Numbness in a patch of skin just below the tip of your elbow
- Tenderness of the scar
- Severe pain, stiffness and loss of use of your arm

How soon will I recover?

You should be able to go home the same day.

You may be told to rest your arm in a sling for a few days. It is important to gently exercise your fingers, elbow and shoulder to prevent stiffness.

Regular exercise should help you to return to normal activities as soon as possible. Before you start exercising, ask the healthcare team or your GP for advice.

Your symptoms may continue to improve for up to 18 months.

Summary

Ulnar nerve compression causes numbness in your ring and little fingers. An ulnar nerve release may improve your symptoms and should prevent permanent nerve damage.

[Keep this information document.](#) Use it to help you if you need to talk to the healthcare team.

Some information, such as risk and complication statistics, is taken from global studies and/or databases. Please ask your surgeon or doctor for more information about the risks that are specific to you.

This document is intended for information purposes only and should not replace advice that your relevant healthcare team would give you.

Acknowledgements

Reviewer: Tim Davis (ChM, FRCS)

Illustrator: Medical Illustration Copyright © Nucleus Medical

Art. All rights reserved. www.nucleusinc.com